


TW BW 01 - Barstock Weld in Thermowell (Straight)



TWBW - 01



Other Options	
0	None
1	Plug & Chain
2	IBR
3	Radiography Test (RT) for Bore Concentricity
4	Ultrasonic Test (UT) for Bore Concentricity
5	NACE to MR-01-75/-MR-01-03

S4S	SS304	825	Incoloy [®] 825
S6S	SS316	600	Inconel [®] 600
310	SS310	800	Incoloy [®] 800
446	SS446	321	SS321
S4L	SS304L	KAN	Kanthal
S6L	SS316L	HCC	Hastelloy [®] C-276
CST	CS	HCB	Hastelloy [®] B
410	SS410	MN4	Monel [®] 400
S7S	SS317	MN5	Monel [®] 500
S7L	SS317L	TI2	Ti-II
N20	Nickel 200		
**Special material on Request			

Thermowell
Material

Thermowell
Head Dia

Thermowell OD

Bore ID

Instrument
Connection

Process
Connection

Insertion
Length ("U")

Extension
Length ("T")

Head
Length (H)

Tip Thickness

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

THREADED - T

Size	Code	Type	Code	M / F	Code
1/4"	06	NPS	NS	M	M
3/8"	10	NPT	NT	F	F
1/2"	15	BSP	BP		
3/4"	20	BSPT	BT		
1"	25	JIS-PF	PF		
M20	M20	JIS-PT	PT		
		Gas	GS		
		R	RR		
		Rp	RP		
		Pitch 1.5	C		

Weld in

Pl. Specify in mm


Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Ordering Example:- TWBW01-S6S-32-24-11-T15NTF-Weld in-250-50-75-6.5-0

TW BW 02 - Barstock Weld in Thermowell (Taper)



Other Options	
0	None
1	Plug & Chain
2	IBR
3	Radiography Test (RT) for Bore Concentricity
4	Ultrasonic Test (UT) for Bore Concentricity
5	NACE to MR-01-75/-MR-01-03
19	Tapered for tail portion only (Pl. Specify length in mm)

TWBW - 02

S4S	SS304	825	Incoloy® 825
S6S	SS316	600	Inconel® 600
310	SS310	800	Incoloy® 800
446	SS446	321	SS321
S4L	SS304L	KAN	Kanthal
S6L	SS316L	HCC	Hastelloy® C-276
CST	CS	HCB	Hastelloy® B
410	SS410	MN4	Monel® 400
S7S	SS317	MN5	Monel® 500
S7L	SS317L	TI2	Ti-II
N20	Nickel 200		
**Special material on Request			

Thermowell Material

Thermowell Head Dia

Thermowell OD 1 (Cold End)

Thermowell OD 2 (Hot End)

Bore ID

Instrument Connection

Process Connection

Insertion Length ("U")

Extension Length ("T")

Head Length (H)

Tip Thickness

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

THREADED - T

Size	Code	Type	Code	M / F	Code
1/4"	06	NPS	NS	M	M
3/8"	10	NPT	NT	F	F
1/2"	15	BSP	BP		
3/4"	20	BSPT	BT		
1"	25	JIS-PF	PF		
M20	M20	JIS-PT	PT		
		Gas	GS		
		R	RR		
		Rp	RP		
		Pitch 1.5	C		

Weld in

Pl. Specify in mm


Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Ordering Example:- TWBW02-S6S-34-26-20-11-T15NTF-Weld in-300-45-75-6-2

TW BW 03 - Barstock Weld in Thermowell (Stepped)



	Other Options
0	None
1	Plug & Chain
2	IBR
3	Radiography Test (RT) for Bore Concentricity
4	Ultrasonic Test (UT) for Bore Concentricity
5	NACE to MR-01-75/-MR-01-03

TWBW - 03

S4S	SS304	825	Incoloy [®] 825
S6S	SS316	600	Inconel [®] 600
310	SS310	800	Incoloy [®] 800
446	SS446	321	SS321
S4L	SS304L	KAN	Kanthal
S6L	SS316L	HCC	Hastelloy [®] C-276
CST	CS	HCB	Hastelloy [®] B
410	SS410	MN4	Monel [®] 400
S7S	SS317	MN5	Monel [®] 500
S7L	SS317L	TI2	Ti-Il
N20	Nickel 200		

**Special material on Request

Thermowell Material

Thermowell Head Dia

Thermowell OD 1 (Cold End)

Thermowell OD 2 (Hot End)

Bore ID

Instrument Connection

Process Connection

Insertion Length ("U")

Stepped Length ("L1")

Extension Length ("T")

Head Length (H)

Tip Thickness

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

THREADED - T

Size	Code	Type	Code	M / F	Code
1/4"	06	NPS	NS	M	M
3/8"	10	NPT	NT	F	F
1/2"	15	BSP	BP		
3/4"	20	BSPT	BT		
1"	25	JIS-PF	PF		
M20	M20	JIS-PT	PT		
		Gas	GS		
		R	RR		
		Rp	RP		
		Pitch 1.5	C		

WELD IN

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Pl. Specify in mm

Ordering Example:- TWBW03-S6S-34-26-20-11-T15NTF-Weld in-250-100-50-80-5-0